


RELIABLE PEOPLE FLOW® FOR TRANSIT ENVIRONMENTS

The KONE TransitMaster™ 120 escalator is suitable for multiple segments, such as airports and public transportation networks like railways and metro systems. It can also be used in commercial environments with high load profiles or special requirements.

Environment	Indoor, semi-outdoor, outdoor			
Vertical rise	up to 15 m			
Inclination	27.3° / 30° / 35°			
Group Arrangement	Single / Parallel / Criss Cross / Continuous			
Step width	800 mm / 1000 mm			
Speed	0.5 m/s, 0.65 m/s, 0.75m/s			
Truss deflection	1/750 and 1/1000			
Drive system type	Chain drive with worm gear			
	Chain drive with helical gear			
	TransVario chainless drive with planetary gear (TM120T)			
Step chain type	Inside Roller 75 x 23.5 mm			
Controller	KONE 501B			
	KONE Standard Electrification (China only)			
Power supply	50Hz / 380V / 220V			
	50Hz / 400V / 230V			
	50Hz / 415V / 240V			
	60Hz / 380V / 110V			
	60Hz / 220V / 110V			
	50Hz / 415V / 240V			
Operation mode	Smart star-delta			
	Standby speed with full or smart inverter			
	Standby speed with full or smart inverter and/or automatic start/stop			
Code compliance	EN115:1995+A1:1998+A2:2004 / EN115-1: 2008 +A1:2010 /			
	EN115-1: 2017/GB16899-2011			
	Regional Codes available (Singapore, France, Russia, Hong Kong,			
	UK, Australia, Taiwan)			





Front Plate	Black plastic				
	Stainless steel				
Balustrade	Safety glass 10 mm				
	Safety glass 12 mm				
	Sandwich panels 10 mm				
	Laminated glass 12 mm				
	Inclined solid balustrade in stainless steel*				
Balustrade height	900 mm / 1000 mm / 1100 mm				
Decking	Brushed satin stainless steel				
	Powder coating silver				
	Natural anodized aluminum				
Skirt	2 mm or 3 mm stainless steel				
	2 mm or 3 mm sheet steel				
Access cover	Ribbed aluminum natural color				
	Ribbed aluminum with black grooves				
	Stainless steel with punched pattern, no painting				
	Stainless steel with punched pattern, black painting				
Cladding	Hairline stainless steel				
· ·	Powder coated sheet steel (grey, white, orange, pearl, beige)				
	Painted sheet steel grey (RAL7036)				
	Glass				
	Premium cladding stainless steel with any RAL color				
	Premium cladding sheet steel with any RAL color				
	Fitted by the customer				
Steps	Silver painted aluminum (Grinded surface R10)				
Oteps	Black painted aluminum (Grinded surface R10)				
	Natural aluminum (Grinded surface R10)				
	Black stainless steel with yellow or black demarcation				
Step demarcation	Grey stainless steel with yellow or grey demarcation				
	Without color demarcation Yellow painted on 3 sides and/or in the center (RAL1004)				
	Yellow plastic insert on 3 sides (RAL 1023)				
	Yellow plastic insert on 3 sides (RAL1023) and yellow painted demarcation in the center (RAL1004)				
Comb segment	Aluminum				
	Aluminum with yellow plastic inlay (RAL1023)				
	Aluminum with yellow coating (RAL 1023)				
Handrail lighting	LED continuous light - white				
	KONE Design Lighting – flexible and modifiable RGBW LED lights for every occasion				
Skirt lighting					
	LED continuous light - white LED spot				
	·				
Comb lighting	KONE Design Lighting – flexible and modifiable RGBW LED lights for every occasion				
	LED static light - different colors				
Troffic lights	LED flashing light - different colors				
Traffic lights	LED arrows				
	LED cube				
	LED road sign				
Understep lighting	LED green light				

^{*} some solutions may not be available for inclined solid balustrade

SAFETY = PEACE OF MIND

KONE HANDRAIL SANITIZER

The UV light solution hidden inside the escalator gradually disinfects the handrails.

KONE HANDRAIL SANITIZER PREMIUM

This stylish device provides premium safety and handrail cleanliness with effective triple-cleaning technology: brush, liquid and UV light.

KONE 24/7 CONNECTED SERVICES

help you to see the status of the escalator in real time to ensure safe operation.



TRANSVARIO DRIVE

Chainless connections between motor, main shaft and handrail drive synchronize step band and handrail movement, minimizing the risk of the step band getting loose.

FIRE SAFETY

maximized with halogen-free cables.

DOUBLE SKIRT BRUSHES

reduce entrapment risk even further.

ANTI SLIP REQUIREMENT

R10 anti-slip grade step surface reduces the chance of passengers slipping.

SKIRT PANELS

are coated with an anti-friction coating to minimize drag and reduce the possibility of entrapment between skirt and steps.

FALL PROTECTION AND ANTI-RIDE BARRIERS

increase passenger protection and prevent falls and misuse of the unit.

EXTRA VISUAL GUIDANCE

Traffic signalization, skirt lighting, yellow comb segment and step demarcations provide extra visual guidance to help passengers have a smoother, safer ride.

AUDIBLE ALARMS

provide clear guidance on escalator travel directions and increase users attention.

COMB PLATE IMPACT DEVICE SWITCHES

minimize the risk of entrapment in comb plate areas.



BREEAM CERTIFICATION

One credit can be achieved by fulfilling the following requirement:

The equipment is fitted with a passenger-sensing device for automated operation, so it operates in standby mode when there is no passenger demand.

LEED CERTIFICATION

KONE solutions can contribute to several LEED certification categories.

ECO-EFFICIENT ESCALATOR

KONE TransitMaster™ 120 has achieved an A+++ energy performance rating based on ISO standard.

5 WAYS TO MAKE YOUR ESCALATOR MORE ECO-EFFICIENT

- The KONE TransVario chainless drive system will help you to reduce energy cost as well as CO2 emissions thanks to transmission optimization. It also reduces the need for oil, because oil remains inside the drive system.
- High efficiency motors minimize energy consumption at full speed.
- Lubrication-free step chain means no oil, a cleaner escalator and environment, reduced fire hazard, simpler cleaning and easier maintenance.
- Long-lasting LED lighting is up to 80% more efficient than fluorescent lighting and lasts up to 10 times longer.
- Eco-efficient operational modes save energy by slowing down or stopping the escalator completely when traffic is low. For example, when an escalator is empty, energy consumption is further reduced by slow stand-by speed and furthermore by stopping the escalator.

ESCALATOR SUSTAINABILITY

Installing an eco-efficient KONE escalator solution can help in achieving green building accreditations such as LEED or BREFAM certification.

KONE holds the EcoVadis Gold medal for its sustainability performance, being in the top 3% of all the assessed companies.

The EcoVadis rating covers a broad range of non-financial management systems including environmental, labor and human rights, ethics, and sustainable procurement impacts.



KONE has been recognized by CDP for its actions towards reducing emissions, mitigating climate risks, and developing a low-carbon economy. KONE achieved a place on CDP's prestigious A List signifying that we rank among a small number of high performers.

KONE has been recognized as one of the best employers in the world by Forbes business magazine on their Forbes 2022 World's Best Employers list.





FLEXIBILITY TO **MATCH YOUR** BUILDING **REQUIREMENTS**

KONE TransitMaster™ 120 is an escalator designed for demanding environments such as airports, train stations and commercial spaces. It is engineered to elevate the passenger experience through a combination of safety and esthetics.

Seismic Provisions

For seismic environments a full complement of different mountings is available, to guard against even the strongest conditions.

Flexible Features

KONE TransitMaster™ 120 escalators are designed to answer all your needs. KONE engineering capabilities will help you to meet your specifications in the best possible way.

Tailor-Made Possibilities

KONE is always ready to help you realize your architectural vision with a customized solution that meets the needs of your premises.

ACCESS COVERS



Ribbed aluminum natural color



Ribbed aluminum with black grooves



Stainless steel surface, black paint surface, no paint



Stainless steel

HANDRAILS



Black with white dots











SKIRTING

SKIRT BRUSH HOLDER



aluminum



aluminum



Clear anodized aluminum, double hrushes

STEPS

STEP DEMARCATION



Yellow painted on 3 sides (RAL1004)



Yellow plastic insert on 3 sides (RAL 1023)



Yellow plastic insert on 3 sides (RAL1023) and vellow painted demarcation in the center (RAL1004)



Yellow painted on 3 sides and in the center (RAL1004)

SKIRT



Brushed stainless steel skirt with clear antifriction coating



Sheet steel skirt with black antifriction coating

STEP COLOR



Natural color Silver painted aluminum aluminum



Black painted aluminum



Stainless steel black



Stainless steel grey

BALUSTRADE



Balustrade extension

Safety or laminated Glass



Sandwich Panels



Inclined solid balustrade in stainless steel

DECKING



Brushed satin stainless steel



Natural anodized aluminum

Center decking

arrangment)

(parallel



Silver powder coating (RAL9007)

DISPLAY



Diagnostic display

LIGHTING

LED HANDRAIL LIGHTING



White



KONE Design Lighting, handrail

LED SKIRT LIGHTING





KONE Design Lighting, skirt

FRONT PLATE



Black plastic

Stainless steel

COMB



Aluminum comb segments



Aluminum comb with yellow coating



Aluminum comb with yellow plastic inlay (RAL1023)

LED SKIRT **SPOT LIGHTING**



COMB LIGHTING



LED comb lighting (white)

CLADDING



Premium cladding stainless steel or sheet steel with any RAL color



Hairline stainless steel



Powder coated sheet steel (grey, white)



Painted sheet steel grey (RAL7036)



Glass



Fitted by the customer

ADDITIONAL LIGHTING



LED traffic light arrow in the decking



LED traffic light cube



LED traffic light road sign



Understep lighting green