



KONE SIGNALIZATION

KSS 280



KSS 280 SIGNALIZATION



This functional new signalization family for residential buildings combines clear and simple features, good visibility, and easy accessibility with a sophisticated design.

The KSS 280 signalization family features durable finishing with hairline stainless steel surfaces and alphanumeric LCD displays.


The Car Operating Panel (COP) is surface mounted (KSC 286 or KSC 296) or optionally flush mounted (KSC 276), while the landing stations are surface mounted on the wall or door frame.

KEY FEATURES

- EN81-70-2017 compliant
- EN81-73-2016 compliant
- GOST 52382 compliant
- GOST 51631 compliant
- GOST 53780 compliant
- Pin-code operations (including car call locking)




reddot design award
winner 2012



Large, clear landing call buttons for ease and convenience.

CAR OPERATING PANEL (COP)



KSC 276



KSC 296



KSC 286



Buttons available also with Braille


KEY SWITCH UNIT



Optional to landing and car, in case of Profil halbzylinder or local key and MicroKaba


*** The exact height of the COP depends on the car height (CH) and the selected ceiling option.

HALL LANTERN (HL)*



KSH 280

LANTERN IN CAR



KSJ 280
Thickness 7 mm


HALL INDICATOR (HI)*



KSI 286

* Thickness 17 mm


LANDING CALL STATION (LCS)**



KSL 280 DC



KSL 280



KSL 270



KSL 284

LANDING CALL STATION WITH INDICATOR (LCI)**



KSL 286
Simplex



KSL 286
Duplex

** Thickness 15 mm

KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way; from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in helping our customers manage the smooth flow of people and goods throughout their buildings.

Our commitment to customers is present in all KONE solutions. This makes us a reliable partner throughout the life cycle of the building. We challenge the conventional wisdom of the industry. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace®, KONE NanoSpace™ and KONE UltraRope®.

KONE employs close to 52,000 dedicated experts to serve you globally and locally.

KONE CORPORATION

Head office

Kartanontie 1
P.O. Box 8
FI-00331 Helsinki
Finland
Tel. +358 (0)204 751

Corporate offices

Keilasatama 3
P.O. Box 7
FI-02151 Espoo
Finland
Tel. +358 (0)204 751

www.kone.com